

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10564133"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 13:33
S2	4	"6424755".pn. "5323407".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 14:27
S3	33	clapp-terry-\$in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 14:29
S4	0	clapp-victor.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/18 14:30
S5	15	clapp-terry-\$in.	US-PGPUB; USPAT	OR	ON	2008/06/18 14:30
S6	14	("4674841" "5857039" "5889900" "5911018" "5937115" "5940548" "6022671" "6094291").PN. OR ("6424755").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/18 14:46
S7	725	385/3.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/18 15:25
S8	986	385/3,8.ccls. and (slot groove gap spac\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 07:44
S9	1	("4485474").PN. OR ("5323407").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 08:01
S10	32	385/3,8.ccls. and (slot groove gap spac\$3) same (curv\$3 concav\$3 convex\$3 round\$3) near5 (medium waveguide)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 08:09

S11	28	385/40.ccls. and (slot groove gap spac\$3) same (curv\$3 concav\$3 convex\$3 round\$3) near5 (medium waveguide)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 08:49
S12	6	("20050063430" "5040864" "5107359" "5165104" "5195161" "6678429").PN. OR ("7292755").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 08:58
S13	6	waveguide same (slot gap) near5 phase same electrode same (curv\$3 round\$3 concave convex)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 09:19
S14	15	"385".clas. and waveguide same (slot gap) and (slot gap) near7 phase and (slot gap) near7 (curv\$3 round\$3 concave convex)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 09:22
S15	4	("20020097963" "20020164137" "5526449" "6728439").PN. OR ("6957003").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 09:43
S16	1	"20020097963"	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 09:45
S17	4	("5943459" "6243516").PN. OR ("6813404").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 09:54
S18	595	"385".clas. and (slot gap) and (electrooptic electro adj optic\$4) and (slot gap electrode (electric volt\$3) near5 (pad connect\$3 contact)) and (waveguide slot gap electrode pad connect\$3 contact) near7 (curv\$3 round\$3 concave convex)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 10:10
S22	116	"385".clas. and waveguide near7 (slot gap) and (electrooptic electro adj (optically optic)) and (electrode ((electric (voltage volt) metal) near5 (pad connect\$3 contact))) and (waveguide slot gap electrode pad connect\$3 contact) near7 (curv\$3 round\$3 concave convex) and @ad<="20030717"	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 10:46

S23	98	"385".clas. and waveguide near7 (slot gap) and (electrooptic electro adj (optically optic)) and (electrode ((electric (voltage volt) metal) near5 (pad connect\$3 contact))) and (waveguide slot gap electrode pad connect\$3 contact) near7 (curv\$3 round\$3 concave convex) and @ad<="20030717" and phase	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 11:08
S24	2	("6504966" "6859589").PN. OR ("6980718").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 11:09
S25	17	("20020131667" "20030059147" "20030223668" "20040008943" "20040081398" "5347395" "5485277" "5583643" "5729641" "6442231" "6442321" "6504651" "6614960").PN. OR ("6801691").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 11:11
S26	110	"385".clas. and waveguide near7 (slot gap slit notch) and (electrooptic electro adj (optically optic)) and (electrode ((electric (voltage volt) metal) near5 (pad connect\$3 contact))) and (waveguide slot gap slit notch electrode pad connect \$3 contact) near7 (curv\$3 round\$3 concave convex) and @ad<="20030717" and phase	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 11:36
S27	12	S26 not S23	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 11:36
S28	340	385/3,8.ccls. and (slot groove gap nitch slit notch) same (electrical adj contact electrode)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 11:51
S29	7	385/3,8.ccls. and (slot groove gap nitch slit notch) same (electrical adj contact electrode) same liquid adj crystal\$4	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 11:53

S30	85	"385".clas. and (slot groove gap nitch slit notch) same (electrical adj contact electrode) same liquid adj crystal\$4	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:02
S31	85	"385".clas. and (slot groove gap nitch slit notch) same (electrical adj contact electrode) same liquid adj crystal\$4 and ad<="20030717"	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:03
S32	1	"6393185".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:05
S33	726	385/3.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:10
S34	156	385/3.ccls. and (slot gap notch groove nitch) near7 waveguide	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:10
S35	6	385/3.ccls. and (slot gap notch groove nitch) near7 waveguide and liquid adj crystal\$4	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:11
S36	5	385/3.ccls. and (slot gap notch groove nitch) same liquid adj crystal\$4	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:11
S37	4	("4995705" "5151808").PN. OR ("5907645").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:16
S38	164	385/3.ccls. and (slot gap notch groove nitch) same electrode	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:19
S39	106	385/3.ccls. and (slot gap notch groove nitch) same electrode same substrate	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:19
S40	0	385/3.ccls. and wavguide near7 (slot gap notch groove nitch) same electrode same substrate	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:20
S41	59	"385".clas. and (slot groove gap nitch slit notch) same (electrical adj contact electrode) same liquid adj crystal\$4 and @ad<="20030717"	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 12:22
S42	7	"385".clas. and (slot groove gap nitch slit notch) same (electrical adj contact electrode) same liquid adj crystal\$4 and @ad<="20030717" and silicone	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 13:36

S43	1	"385".clas. and (slot groove gap nitch slit notch) same (electrical adj contact electrode) same liquid adj crystal\$4 and @ad<="20030717" and mylar	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 13:47
S44	776	"385".clas. and liquid adj crystal near7 polymer	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 13:59
S45	130	"385".clas. and liquid adj crystal same polymer same (carbon siloxane silicon dendrimer)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 14:04
S46	69	"385".clas. and liquid adj crystal with polymer with (carbon siloxane silicon dendrimer)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 14:05
S47	5	("2002/0076161").URPN.	USPAT	OR	ON	2008/06/19 14:22
S48	2253	385/2,3,8.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 14:59
S49	64	S48 and substrate near7 (slot gap notch) same electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 15:00
S50	41	S48 and substrate near7 (slot gap notch) same electrode and @ad<="20030717"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 15:01
S51	190	"385".clas. and electro adj optic\$4 same (open\$3 gap slot notch) and phase same (open\$3 gap slot notch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/19 15:29
S52	185	"385".clas. and electro adj optic\$4 same (open\$3 gap slot notch) and phase same (open\$3 gap slot notch)	US-PGPUB; USPAT	OR	ON	2008/06/19 15:30
S53	163	"385".clas. and substrate and electro adj optic\$4 same (open\$3 gap slot notch) and phase same (open\$3 gap slot notch)	US-PGPUB; USPAT	OR	ON	2008/06/19 15:31

S54	118	"385".clas. and substrate and electro adj optic\$4 same (open\$3 gap slot notch) and phase same (open\$3 gap slot notch) and @ad<="20030717"	US-PGPUB; USPAT	OR	ON	2008/06/19 15:31
S55	7	"385".clas. and substrate and electro adj optic\$4 near7 (open\$3 gap slot notch) and phase near7 (open\$3 gap slot notch) and @ad<="20030717"	US-PGPUB; USPAT	OR	ON	2008/06/19 15:32
S56	1	"6987895".pn.	US-PGPUB; USPAT	OR	ON	2008/06/20 07:39
S57	363	"385".clas. and phase and hole and slot	US-PGPUB; USPAT	OR	ON	2008/06/20 07:55
S58	25	"385".clas. and phase and hole and slot near7 substrate and @ad<="20030717"	US-PGPUB; USPAT	OR	ON	2008/06/20 07:56
S59	1	"6987895".pn.	US-PGPUB; USPAT	OR	ON	2008/06/20 08:01
S60	13	385/3.ccls. and (trench hole slot) near5 substrate and electrode near7 (trench hole slot)	US-PGPUB; USPAT	OR	ON	2008/06/20 08:04
S61	2	"7197225".pn. "6763154".pn.	US-PGPUB; USPAT	OR	ON	2008/06/20 08:14
S62	13	("20040151414" "20060115196" "5790719" "6069729" "6449080" "6544431" "6545791" "6580843" "6584240" "6721085" "6801675" "6845183" "6865306").PN. OR ("7171063").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/20 08:18
S63	18	"385".clas. and (trench hole slot groove) near5 substrate and electrode same (trench hole slot groove) and phase near7 (trench hole slot groove) and @ad<="20030717"	US-PGPUB; USPAT	OR	ON	2008/06/20 08:54
S64	18	("20020067906" "20020172463" "4117329" "4732446" "5119448" "5550941" "5562838" "5757993" "6008927" "6027254" "6064780" "6115514" "6215917").PN. OR ("6766082").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/20 09:06

S65	314	polymer adj matrix near5 liquid adj crystal	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/20 09:52
S66	3	"385".clas. and polymer adj matrix near5 liquid adj crystal	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/20 09:52
S67	65	(mylar silicone) near4 substrate with (advantage benefit)	US-PGPUB; USPAT	OR	ON	2008/06/20 10:30
S68	45	(mylar silicone) near4 substrate with (advantage benefit) and @ad<="20030717"	US-PGPUB; USPAT	OR	ON	2008/06/20 10:30
S69	1251	"385".clas. and (slot groove gap trench) near5 (curv\$3 convex concave round\$3)	US-PGPUB; USPAT	OR	ON	2008/06/20 10:58
S70	92	"385".clas. and substrate near5 (slot groove gap trench) near5 (curv\$3 convex concave round\$3) and @ad<="20030717"	US-PGPUB; USPAT	OR	ON	2008/06/20 11:07
S71	29	"385".clas. and substrate near5 (slot groove gap trench) near5 (curv\$3 convex concave round\$3) and @ad<="20030717" and electrode	US-PGPUB; USPAT	OR	ON	2008/06/20 11:25
S72	2	"385".clas. and substrate near5 (slot groove gap trench) near5 (curv\$3 convex concave round\$3) and @ad<="20030717" and liquid adj crystal\$4	US-PGPUB; USPAT	OR	ON	2008/06/20 11:25
S73	3	"385".clas. and substrate near5 (slot groove gap trench) near5 (curv\$3 convex concave round\$3) and @ad<="20030717" and electrode near5 (curv\$3 convex concave round\$3)	US-PGPUB; USPAT	OR	ON	2008/06/20 11:37
S74	27	("4797549" "4890623" "4897628" "5093880" "5202629" "5210800" "5244748" "5321258" "5440411" "5452393").PN. OR ("5699461").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/20 11:50
S75	26	"385".clas. and substrate near5 (slot groove gap trench) near5 (curv\$3 convex concave round\$3) and @ad<="20030717" and phase	US-PGPUB; USPAT	OR	ON	2008/06/20 13:29

S76	27	"385".clas. and substrate near5 (slot groove gap trench) near5 (curv\$3 convex concave round\$3) and @ad<="20030717" and (liquid adj crystal phase)	US-PGPUB; USPAT	OR	ON	2008/06/20 13:33
S77	2438	liquid adj crystal near5 dop\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 14:40
S78	44	"385".clas. and liquid adj crystal near5 dop\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 14:41
S79	5017	"385".clas. and optic\$3 near5 dop\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 14:58
S80	48	"385".clas. and optic\$3 near5 dop\$3 near7 advantage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/20 14:59
S81	2	"6459533".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 11:01
S82	6	"385".clas. and substrate same (slot groove gap trench) near7 (curv\$3 convex concave round\$3) and @ad<="20030717" and electrode near7 (curv\$3 convex concave round\$3)	US-PGPUB; USPAT	OR	ON	2008/12/17 14:08
S83	6	"385".clas. and substrate same (slot groove gap trench) near7 (curv\$3 convex concave round\$3) and @ad<="20030717" and electrode near7 (curv\$3 convex concave round\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/17 14:08

S84	2	(slot near4 curv\$3 and phase near4 (rotat\$3 adjust\$3) and electro near2 optic\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 14:32
S85	3	(slot near4 (round\$3 curv\$3 radi\$4) and phase near4 (rotat\$3 adjust\$3) and electro near2 optic\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 14:32
S86	3	((groove slot depression) near4 (round\$3 curv\$3 radi\$4) and phase near4 (rotat\$3 adjust\$3) and electro near2 optic\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 14:33
S87	2	"6212315".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 08:00

1/30/2009 9:44:55 AM

C:\Documents and Settings\csmith2\My Documents\EAST\Workspaces\10564133 (electro-optic gap-cell).wsp